



In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 769 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law

## CTC

4, rue Hermann Fränkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctctyon@ctcgrroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.08.1978 - Siret 77664972600180 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

### CE TYPE EXAMINATION CERTIFICATE 0075/1610/162/07/12/0553

To the following model of personal protective equipment :

- \* protective glove against                      mechanical risks, cold risks.
- \* reference of the model :                              A450
- \* responsible for placing on the market :

#### PORTWEST LTD FUZHOU OFFICE

B2-B03 Room, 11 floor, JuYuanZhou Xin Yuan Building, No.616 JinShan Road, JinShan Fuzhou, Fujian, CHINA.

China

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on July 17th, 2012

Issued by Lionel GAUDILLERE



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 423-3-38 of the French Code of Work.

## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : A450

Basic Model

Dated : JULY, 2012

Flourescent PVC glove

**Available sizes :**

10/XL

**Visual description :**



**Material :**

	Colour	Material	Gauges	Thikness
PALM	orange	PVC		
BACK	orange	PVC		
LINING	beige	cotton	180g	
CUFF	black	cotton	180g	
BINDING				

## 2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- \* EN 420:2003+A1:2009 - General requirements for gloves and test methods
- \* EN 388:2003 - Protective glove against mechanical risks
- \* EN 511 : 2006 - Protective gloves against cold
- \* Directive 2002/61/CE : - This product fulfills the requirements given by the Directive.

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420	SH60983-12		SH60983-12
Azo	SH60983-12		
EN 388	SH61049AR1-11		
EN 511		SH61373R1-11,SH60983-12 (Flexibility behaviour)	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
3	1	2	1

The levels of performance have been measured on the pair.

Performance levels offered against cold (EN 511:2006) are:


Convective cold	Contact cold	Water penetration
1	2	1

### 3. MARKING

Each glove is clearly marked with the following information:

- \* Logo of the authorized representative:
- \* CE marking
- \* reference of the model: A450
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* pictogram for cold risks followed by the performance levels
- \* information pictogram

Marking example:



**PORTWEST LTD FUZHOU OFFICE**

**MANUFACTURER'S TECHNICAL FILE**

**Reference of the product** : **A450**

**Technical file index** : **01**

**Last update** : **JULY, 2012**

## IDENTIFICATION

Reference of the product : A450  
Technical file index : 01  
Last update : JULY, 2012

### **CE Type Examination Applicant :**

PORTWEST LTD FUZHOU OFFICE

B2-803 Room, 11 floor, JuYuanZhou Xin Yuan Building, No.616 JinShan Road,  
JinShan Fuzhou, Fujian, CHINA.

China

tel : 0591-88200757

fax :

## GLOVE DESCRIPTION

### Glove description :

Flourescent PVC glove

### Visual description:



### Available sizes :

Minimum length of glove (mm)	Sizes
290	10/XL

### Glove constitution :

	Reference	Colour	Material	Surfacic mass	Gauges	Thikness
PALM		orange	PVC	1200g/sq.m		
BACK		orange	PVC	1200g/sq.m		
LINING		beige	cotton	500g/sq.m	180g	
CUFF		black	cotton	300g/sq.m	180g	
BINDING						

## PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks, cold risks,

It is a category II product.

### GENERAL REQUIREMENTS

#### **Standard EN 420 : 2003 + A1 : 2009**

Dexterity : 4

PH of glove and lining is greater than 3.5 and lower than 9.5 : yes

Chromium VI lower than the detection limit : conform

Size : conform

#### **Directive 2002/61/CE :**

This product fulfills the requirements given by the Directive 2002/61/CE (Azo dyes).

### SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

#### **Mechanical hazard EN 388 : 2003**

Protection offered	Performance levels
Abrasion resistance	3
Blade cut resistance	1
Tear strength resistance	2
Puncture resistance	1

#### **Cold hazard EN 511 : 2006**

	Minimum performance level require	Performance obtained
Abrasion resistance	1	3
Tear strength	1	2
Flexibility behaviour for coated materials	no crack	conform
Convective cold	–	1
Contact cold	–	2
Water penetration	0 or 1	1



## TEST REPORTS

Laboratory	CTC Asia	CTC France	Other
EN 420	SH60983-12		SH60983-12
Azo	SH60983-12		
EN 388	SH61049AR1-11		
EN 511		SH61373R1-11,SH60983-12 (Flexibility behaviour)	

## MARKING - PACKAGING

### **Information printed on the glove :**

Logo of the authorized representative :

Logo 


Glove's reference : A450

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

### **Marking example :**



### **Method of marking on the glove :**

printed by machine

### **Packaging :**

6pairs/polygag; 6dozen/carton

## INSTRUCTION FOR USE

### PORTWEST LTD FUZHOU OFFICE

B2-803 Room, 11 floor, JuYuanZhou Xin Yuan Building, No.616 JinShan Road, JinShan Fuzhou, Fujian, CHINA.

China

Glove reference : A450

Available sizes : 10/XL

#### **Glove description :**

Flourescent PVC glove

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the Directive 89/686/CEE : Innocuousness, comfort, solidity.

It has been subject to a CE type Examination performed by :

C.T.C. (0075)  
4, rue Hermann Frenkel  
69367 LYON Cedex 07  
FRANCE

#### **Applicable standards :**

The glove meets the requirements of the standard EN 420 « General requirements for work glove ». Dexterity : 4

Moreover, this glove has been designed for the following applications :



#### Application :

Mechanical hazard - EN 388



3121

Levels of performance

Abrasion resistance	3
Blade cut resistance	1
Tear resistance	2
Puncture resistance	1

#### Application :

Cold risk - EN 511



121

Levels of performance

Convective cold	1
Contact cold	2
Water penetration	1

### **Protection limit :**

*This glove doesn't give a protection for a temperature under -50°C.*

*The protection against risks or hazards which are not mentioned in this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.*

*For gloves with different layers of material, the performance levels are warranted only for the whole glove.*

*This glove shall not be in contact with fire.*

*Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.*

*This glove must be used for an intense activity until (-5°C).*

### **Storage and cleaning notice**

*Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.*